



KORAPUT HALAD-AADA WOMEN FARMER PRODUCER COMPANY LIMITED

House No. 107, 69H Street, Near Gurukul Play School, Pujariput, koraput-764020, Odisha
Registration No. U01611002023PTC043653 Mail id: secretariat.khawfpc@gmail.com

OPEN TENDER NOTICE

FOR SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF GINGER & TURMERIC PROCESSING MACHINERY

Tender Ref. No.: KHAWFPCL/MACH/OPEN/2026-27 Date: 01/09/2026

Koraput Halad-Aada Women Farmer Producer Company Ltd. (KHAWFPCL), Koraput, Odisha, invites sealed/open competitive bids from eligible manufacturers, authorized dealers, suppliers, firms and agencies for supply, installation, testing, commissioning and training for ginger and turmeric processing machinery at its Processing Plant, Padampur, Dumuriput, Koraput, Odisha.

This Open Tender has been prepared by consolidating the machinery list and commercial /contractual conditions contained in the KHAWFPCL RFQ dated 01/09/2026 and the tender/quotation format and procedural provisions contained in the reference tender document supplied with this request.

1. TENDER PARTICULARS

Particular	Details
Purchaser	Koraput Halad-Aada Women Farmer Producer Company Ltd. (KHAWFPCL)
Tender Type	Open Tender
Tender Reference	KHAWFPCL/MACH/OPEN/2026-27
Scope	Supply, installation, testing, commissioning, training and after-sales support of ginger & turmeric processing machinery
Place of Delivery	KHAWFPCL Processing Plant, Padampur, Dumuriput, Koraput, Pin-764021, Odisha
Bid Submission Deadline	15/09/2026 at 10.00 PM
Bid Opening	20/09/2026 at 06.00 PM
Tender Fee	₹1000/- (Rupees One Thousand only) + GST as applicable, non-refundable
Mode of bidding	Speed post, email, Google form: https://docs.google.com/forms/d/e/1FAIpQLSfxi9U9OhqG2gPVgKuqiiBbcu-y2bTJcj5ji2gBoYaU-Tyluw/viewform?usp=publish-editor 
EMD	₹2,00,000/- (Rupees Two Lakhs only) + GST as applicable subject to the exemption stated in this tender
Bid Validity	Minimum 15 days from the last date of submission



House No. 107, 69H Street, Near Gurukul School, Pujariput, koraput-764020, Odisha

Particular	Details
Delivery	Within 30 days from date of Purchase Order, or as mutually agreed at PO stage.
Contact person & address:	Chief Executive Officer, KHAWFPCL; Email: ceo.koraput.2025@gmail.com ; Mobile: 9437237012 KHAWFPCL, near Gurukul Play School, main road, Pujariput, KORAPUT, Odisha - 764020

2. SCOPE OF SUPPLY

The tender covers the following 11 machinery items (12 units in total). Item-wise award is permitted.

Sl. No.	Description	Qty	Unit
1	Drum Washer Machine	1	Nos
2	Ginger Peeler Machine (Continuous Brush & Emery Roller Type)	1	Nos
3	Slicer Machine	1	Nos
4	Hydro Turbo Blancher	1	Nos
5	Tilting Type Hydro Dryer / Extractor	1	Nos
6	192 Tray Hot Air Dryer / Heat Pump Dryer	1	Nos
7	7.5 Impact Pulverizer	1	Nos
8	Turmeric Polisher Machine	2	Nos
9	Vibro Sifter 48"	1	Nos
10	Conveyer Belt	2	Nos
11	Automatic Collar Type Packing Machine	1	Nos
12	Stainless Steel Container/Barrel	10	Nos

3. TECHNICAL SPECIFICATION & COMPLIANCE

The source RFQ lists the above machinery and states that detailed specifications are contained in "Annexure-II". The supplied RFQ file, however, does not contain the populated Annexure-II technical specification schedule. Therefore, this tender does not invent missing capacity, dimensions, material, motor power, electrical configuration or performance figures. Bidders shall submit complete technical datasheets/specifications for every quoted machine, and the purchaser/technical committee shall assess compliance before award.

Mandatory technical submission for each item:

- Manufacturer name, make and model.
- Machine capacity/output per hour and rated operating conditions.
- Material of construction for all product-contact parts and major frame/body components.
- Motor rating, voltage, phase, frequency, make and protection class, where applicable.
- Dimensions, weight and utility requirements (electricity, water, steam/heat, compressed air, etc.), where applicable.
- Detailed process description and operating principle.
- Product-contact surfaces and food-safety compliance details.
- Accessories, control panel, instrumentation, safety devices and standard spare parts included in the offer.
- Installation, commissioning, operator training and documentation included in the price.
- Warranty, after-sales service arrangements and availability of spare parts.
- Relevant BIS/ISO/CE/food-safety certificates or declarations, as applicable.

4. DELIVERY, INSTALLATION & COMMISSIONING

- All machines shall be delivered to the KHAWFPCL Processing Plant at Padampur, Dumuriput, Koraput, Odisha.
- Delivery shall be completed within 30 days from the date of Purchase Order, unless otherwise mutually agreed at PO stage.
- Installation, testing and commissioning are mandatory and shall be included in the bidder's scope.
- The supplier shall provide operating manuals, maintenance manuals, recommended spare-parts list and relevant test/inspection documents.
- Training shall be provided to designated KHAWFPCL personnel/operators at the plant.

5. BID PRICE

- Prices shall be quoted in Indian Rupees only.
- Rates shall remain firm during the validity of the bid/contract and shall not be subject to adjustment.
- EXW/ex-factory price, inland transportation/insurance/incidental delivery cost, after-sales service, training and GST shall be separately indicated in the Price Schedule.
- Packing, forwarding, freight, insurance and other incidental charges shall be shown separately.
- All applicable duties, taxes and levies shall be the responsibility of the supplier up to delivery, except GST which shall be shown separately as required in the Price Schedule.
- No price negotiation shall be undertaken. The purchaser may award the contract item-wise or collectively to the lowest evaluated responsive bidder(s), based on actual requirement.

6. TENDER FEE & EARNEST MONEY DEPOSIT

Tender Fee: ₹1000/- (Rupees One Thousand only) + GST as applicable, non-refundable. Proof of payment shall be enclosed with the bid.

EMD: ₹2,00,000/- (Rupees Two Lakhs only) + GST as applicable along with the bid, in any of the following forms:

- Demand Draft
- Online transfer in favour of M/S GRANT A/C KPT HALAD AADA WFPC LTD. Bank- HDFC Koraput, A/C No- 50200090997931, IFSC – HDFC0002913

EMD provisions:

- EMD of unsuccessful bidders shall be refunded within 30 days after award of contract.
- For the successful bidder, EMD shall be refunded after signing of the agreement and submission of Performance Bank Guarantee.
- EMD may be forfeited if the successful bidder fails to execute the contract or submit the Performance Bank Guarantee within the stipulated time.
- Valid MSME bidders registered under NSIC/Udyam/Start-Up India shall be exempted from Tender Fee and EMD on submission of documentary proof, as provided in the source RFQ.

7. ELIGIBILITY & DOCUMENTS TO BE SUBMITTED

1. Sign and stamped tender document on every page
2. Bidder should furnish copy of GST, PAN, MSME.
3. Valid Trade license.
4. Bidder should have submit latest GST return copy, Turn over Certificate, ITR and balance sheet of last two financial year (FY24-25 & FY25-26).
5. Bidder should submit the GST, PAN, MSME, make in India and ISO certificate of Manufacturer, if the bidder is Authorized Dealer.
6. Proof of relevant business/ manufacturing/ dealership status.
7. Bidder submitted technical specification and item wise technical compliance statement, otherwise bid will be summarily rejected.
8. Bidder submitted tender fees and EMD, without EMD and tender fees bid will be summarily rejected.
9. Bidder must submit a notarized latest affidavit in non-judicial stamp paper of value Rs. 100.00 after the date of publication of bid that their firm has not been blacklisted by any PSU/ central or state govt. department and not be under liquidation, court receivership or similar proceedings should not be bankrupt.
10. Declaration should be submitted for Products quoted in the bid are not obsolete in the market and has at least 10 years Residual Market Life-Supporting Declaration.

11. Bidder should have average financial turnover of last three financial years (FY23-24, FY24-25 and FY 25-26) is at least 3 Crores and supporting documents should be furnished along with the technical bid.
12. Bidder should have experience of supply of at least 1-2 nos of Govt. Organization in Odisha. All Purchase Order copy should be submitted in the technical bid.
13. Declaration should be submitted for Products quoted in the bid are not obsolete in the market and has at least 10 years Residual Market Life-Supporting Declaration.
14. Bidder should have own service centre in Odisha to extend service support as and when required on priority basis and necessary documents to be submitted for its proof.
15. Copy of valid GST registration certificate in Orissa.
16. Price schedule duly completed and signed.

8. BID SUBMISSION

Interested bidders shall submit their complete bid in a sealed envelope superscribed "OPEN TENDER FOR SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF GINGER & TURMERIC PROCESSING MACHINERY". The bid shall be addressed to the Chief Executive Officer, KHAWFPCL, at the Head Office address given in this document.

A bidder may submit a bid for one or more items. Item-wise evaluation and award are permitted. Conditional bids shall not be accepted.

The purchaser may prescribe separate technical and commercial envelopes at the time of issue/publication of the final tender notice.

9. BID VALIDITY

The bid shall remain valid for not less than 15 days from the last date specified for submission.

10. EVALUATION OF BIDS

- Bids shall first be checked for completeness, signatures, seals, tender fee/EMD or exemption, and required eligibility documents.
- Technical evaluation shall be based on conformity with the purchaser's requirements, submitted technical specifications, datasheets, quality/safety documents, installation and service arrangements.
- Commercial evaluation shall be carried out only for substantially responsive bids.
- Evaluation may be carried out item-wise or on a collective basis. KHAWFPCL may place Purchase Orders for all or some items according to actual requirement.
- The lowest evaluated responsive bidder for an item shall normally be considered for award, subject to technical acceptance and the purchaser's right to accept/reject/cancel the tender.
- Arithmetical discrepancies shall be corrected using the unit-price/line-total and words/figures principles contained in the source RFQ.

11. QUALITY ASSURANCE, INSPECTION & ACCEPTANCE

- The supplier shall submit a Quality Assurance Plan (QAP) with the bid.
- Stage-wise inspection and pre-dispatch inspection may be conducted by KHAWFPCL or its authorized technical support agency.
- A Quality Inspection Report (QIP) shall be mandatory for payment processing and final acceptance.
- KHAWFPCL reserves the right to determine suitability of goods through inspection, sample inspection and/or datasheet evaluation, and such determination shall be binding on the bidder.
- Final acceptance shall be subject to successful installation, commissioning and satisfactory performance against the accepted technical offer.
- The supplier should quote the number of days require to supply the machineries after receiving the purchase order.

12. PAYMENT TERMS

Payment shall be made in Indian Rupees as follows:

Stage	Payment
Advance / PO	50% of the accepted Purchase Order value along with the Purchase Order, subject to applicable contractual requirements.
Final payment	Remaining 50% after delivery, installation/commissioning and submission/approval of the Quality Inspection Report (QIP) confirming compliance.
EMD Refund	The EMD will be released after the AMC period of the machineries.

13. WARRANTY & AFTER-SALES SERVICE

- All machines shall carry a 36-month guarantee/warranty commencing from the date of installation.
- The supplier shall ensure availability of spare parts for at least 5 years after expiry of the warranty period.
- The bidder shall provide details of service response time, service personnel, service location and escalation mechanism.
- Any defect attributable to manufacturing, material or workmanship during the warranty period shall be rectified/replaced by the supplier without additional cost to KHAWFPCL, subject to the final contract terms.

14. PERFORMANCE SECURITY

The successful bidder shall, within 15 days of notification of award, furnish a Performance Bank Guarantee equivalent to 5% of the total Purchase Order value, valid through the warranty period.

15. LIQUIDATED DAMAGES

The bidder shall be solely responsible for any loss or damage to the machinery during transportation, unloading, handling, and installation until the machinery is successfully installed and handed over.

16. FORCE MAJEURE

Neither party shall be liable for failure to perform obligations caused by events beyond reasonable control, including acts of God, war, civil disturbance, fire, flood, epidemic/pandemic or similar events. The affected party shall notify the other party in writing within seven days of commencement of the event.

17. CORRUPT / FRAUDULENT / COLLUSIVE PRACTICES

If a bidder/supplier is found to have engaged directly or indirectly in corrupt, fraudulent, collusive, coercive, undesirable or restrictive practices in the bidding process or contract, KHAWFPCL may take contractual action, including forfeiture of Performance Security, without prejudice to other remedies.

18. SUBCONTRACTING

Subcontracting shall require prior written approval of KHAWFPCL. The main supplier shall remain fully responsible for the performance of any approved subcontractor.

19. LEGAL & TECHNICAL COMPLIANCE

- All equipment supplied shall comply with applicable BIS/ISO/CE/food-safety requirements, as relevant to the equipment and its intended use.
- Any legal issues arise it will be governed under Koraput jurisdiction Odisha.

20. RIGHT OF PURCHASER

- KHAWFPCL reserves the right to accept or reject any bid, cancel the bidding process, or reject all bids at any time before award of contract, without assigning any reason.

- The purchaser is not bound to accept the lowest quoted price where the bid is technically non-responsive or otherwise fails the tender requirements.
- Any attempt to influence bid evaluation or award may result in rejection of the bidder's offer.
- KHAWFPCL may issue Purchase Orders for all, some, or individual items depending on actual requirement.

21. CLARIFICATION / PRE-BID

Prospective bidders may seek clarification in writing at least 7 days before the bid submission deadline. KHAWFPCL may organize a pre-bid meeting if considered necessary.

22. BID OPENING & TRANSPARENCY

Bids shall be opened publicly at the date and time specified in the final tender notice. Minutes of bid opening shall be prepared. The purchaser may disclose reasons for rejection to unsuccessful bidders and publish a summary of the bidding result, as considered appropriate.

ANNEXURE – I: PRICE SCHEDULE

Bidders shall quote item-wise. All columns must be completed. GST shall be shown separately.

Sl.	Item	Qty	EXW / Ex- factory	Transport/ Insurance	After- sales	Training	GST	Total Unit Price	Total Item Price
1	Drum Washer Machine	1							
2	Ginger Peeler Machine (Continuous Brush & Emery Roller Type)	1							
3	Slicer Machine	1							
4	Hydro Turbo Blancher	1							
5	Tilting Type Hydro Dryer / Extractor	1							
6	192 Tray Hot Air Dryer / Heat Pump Dryer	1							
7	7.5 Impact Pulverizer	1							
8	Turmeric Polisher Machine	2							
9	Vibro Sifter 48"	1							
10	Conveyer Belt	2							
11	Automatic Collar Type Packing Machine	1							
12	Stainless Steel Container/Barrel	10							

Grand Total: ₹ _____

Net Total Cost in Words:

Bidder's Name: _____ Signature & Seal: _____

ANNEXURE – II: TECHNICAL COMPLIANCE SCHEDULE

Important: The supplied RFQ refers to a detailed Annexure-II but the populated technical specification sheet was not present in the provided file. The following schedule therefore records the source machinery list and requires the bidder to provide complete technical particulars. The purchaser should insert/approve the final minimum technical specifications before publishing the final tender.

Sl.	Machine	Qty	Bidder's Technical Offer / Compliance
1	Drum Washer Machine	1	Make/Model: Not specified Capacity: Up to 1500 kg/hr Material: Complete SS304 food-grade stainless steel; body 3 mm SS304; supports 5 mm SS304; cover 2 mm SS304 Motor/Power: 3 HP Rotomotive geared motor; 415–440 V AC, 3 Phase, 50 Hz; VFD Dimensions: 8 ft (L) × 4 ft (W) × 4.5 ft (H) Utilities: Water spray system; counter-current rotary drum washing; extra drainage tank with 2 mm perforated filter sheet Accessories: 15 high-pressure water spray nozzles; stone/sand/dirt removal gap (6 mm); extra drainage tank Standards: Food Grade / Hygienic SS304 construction (formal standard not specified)
2	Ginger Peeler Machine (Continuous Brush & Emery Roller Type)	1	Make/Model: Not specified Capacity: Up to 1500 kg/hr Material: Complete SS304 food-grade stainless steel; 10 mm stability plate; 3 mm SS304 fabrication Motor/Power: 2 HP geared motor (auger); 5 HP Rotomotive motor (brush rollers); total 7 HP; 415–440 V AC, 3 Phase, 50 Hz; VFD Dimensions: 11 ft (L) × 4 ft (W) × 3.5 ft (H) Utilities: Water spray system with SS304 pump and multiple nozzles; drainage tank Accessories: 10 food-grade emery rollers; 10 nylon brush rollers (2000 mm each); SS304 auger conveyor; drainage tank Standards: Food Grade / Hygienic SS304 construction (formal standard not specified)
3	Slicer Machine	1	Make/Model: Not specified Capacity: 1000 kg/hr (1 TPH) Material: Complete SS304 food-grade stainless steel; circular knife 3CR13 & 440C SS; cross-cut knife 3CR13 SS Motor/Power: 3 HP ABB motor; 440 V AC, 3 Phase, 50 Hz; 3 HP VFD Dimensions: 1212 × 1130 × 1350 mm Utilities: Electrical power 440 V AC, 3 Phase, 50 Hz Accessories: Interchangeable cutting blades; 5-inch heavy-duty rotating wheels (4); safety sensors and emergency stop with electric brake Standards: Food Grade / Hygienic SS304 construction (formal standard not specified)
4	Hydro Turbo Blancher	1	Make/Model: Hydro Turbo Blancher (Water Blancher Machine); specific model not specified Capacity: Up to 1000–1500 kg/hr Material: Complete SS304 food-grade stainless steel; body 2 mm SS304; tank 2 mm SS304; tank insulated with 1.2 mm SS cladding Motor/Power: 2 HP Roto-motive geared motor; 415–440 V AC, 3 Phase, 50 Hz; VFD Dimensions: 12 ft (L) × 3 ft (W) × 4.5 ft (H); total machine length approx. 16 ft Utilities: Steam heating through header circulation at bottom of tank; adjustable hot-water blanching 80–90°C Accessories: Food-grade PP modular Z-type belt conveyor with 30 mm cleats; 12 ft immersion section; 4 ft loading/discharge section; digital temperature control Standards: Food Grade / Hygienic SS304 construction (formal standard not specified)

Sl.	Machine	Qty	Bidder's Technical Offer / Compliance
5	Tilting Type Hydro Dryer / Extractor	1	Make/Model: Tilting Type Hydro Dryer / Extractor; model not specified Capacity: Not specified Material: Stainless steel perforated inner drum; heavy-duty stainless-steel bottom plate; stainless steel sheet cover; stainless steel angle frame Motor/Power: 3 HP, 440 V, 3 Phase AC motor; pulley & belt drive Dimensions: 800 mm (L) × 1800 mm (W); inner drum 30 in diameter × 24 in deep Utilities: 440 V AC, 3 Phase, 50 Hz Accessories: Manual worm-gear tilting device; anti-vibration dampers Standards: Food-contact stainless-steel construction (formal standard not specified)
6	192 Tray Hot Air Dryer / Heat Pump Dryer	1	Make/Model: 192 Tray Hot Air Dryer; Heat Pump Dryer (192 Trays) is also specified in source Capacity: Hot Air Dryer: approx. 384–576 kg/batch (2–3 kg/tray); Heat Pump Dryer: minimum 600 kg/batch Material: Hot Air Dryer: MS inner chamber, MS powder-coated outer body, high-density glass wool insulation, aluminum trays; Heat Pump Dryer: SS304 food-grade trays/trolleys, double-wall insulated chamber with PUF insulation Motor/Power: Hot Air Dryer: 32 kW electric heaters; 4 × 1 HP, 3-phase blowers; 440 V AC, 3 Phase, 50 Hz. Heat Pump Dryer: approx. 21 kW heating capacity, approx. 9.5 kW input, 400 V, 3 Phase, 50 Hz AC, approx. 19 A Dimensions: Hot Air Dryer: 148 in (L) × 92 in (W) × 87 in (H). Heat Pump Dryer: drying chamber approx. 5700 × 2170 × 2200 mm; heat pump unit approx. 1760 × 1060 × 1280 mm; main door approx. 1600 × 1870 mm Utilities: Hot air forced circulation; electric heating; temperature range 50–250°C. Heat pump: ambient–75°C, working 30–75°C; dehumidification minimum 25 L/hr Accessories: Hot Air Dryer: 192 aluminium trays, 4 MS trolleys (48 trays each). Heat Pump: 192 trays, 12 trolleys (16 trays/trolley), maintenance door 1, main door 1, digital temperature & humidity controller with timer Standards: Food-grade SS304 trays/trolleys for heat-pump version; formal standard not specified Warranty: Heat Pump Dryer: minimum 12 months. Hot Air Dryer: not specified Deviation: Not specified
7	7.5 Impact Pulverizer	1	Make/Model: 7.5 HP Impact Pulverizer; specific model not specified Capacity: Minimum 40–50 kg/hr (turmeric powder) Material: Heavy-duty MS body; food-contact parts SS304 preferred Motor/Power: 7.5 HP; 415 V, 3 Phase, 50 Hz; IE2/IE3 energy-efficient reputed motor Dimensions: Grinding chamber approx. 12 in (305 mm) diameter Utilities: Electrical power 415 V, 3 Phase, 50 Hz Accessories: Blower, cyclone separator, dust collection system, rotary air-lock valve, collection bin, required screens; minimum 8 dynamically balanced hammers Standards: Food-contact SS304 preferred; formal standard not specified Warranty: Minimum 12 months
8	Turmeric Polisher Machine	2	Make/Model: Turmeric Polisher Machine; specific model not specified Capacity: 500 kg per batch (2 pcs) Material: SS food-grade stainless steel for product contact parts; heavy-duty industrial construction Motor/Power: 415 V AC, 3 Phase, 50 Hz; motor rating not specified Dimensions: Not specified Utilities: 415 V AC, 3 Phase, 50 Hz Accessories: Not specified Standards: Food Grade stainless steel (formal standard not specified)
9	Vibro Sifter 48"	1	Make/Model: 48 in Vibro Sifter; specific model not specified Capacity: 150–500 kg/hr (depending on product and mesh size) Material: SS304 food-grade stainless steel; product-contact parts SS304 mirror finish; SS304 screen/frame; heavy-duty MS powder-coated base Motor/Power: 2 HP three-phase vibratory motor; 1440 RPM; 415–440 V AC, 3 Phase, 50 Hz Dimensions: Screen diameter 48 in (1200 mm) Utilities: Electrical power 415–440 V AC, 3 Phase, 50 Hz Accessories: Single/double deck (single recommended for ginger/turmeric powder); interchangeable 20–100 mesh SS304 wire mesh; separate fine/oversize outlets; adjustable eccentric weights Standards: Food Grade / Hygienic SS304 construction (formal standard not specified)

Sl.	Machine	Qty	Bidder's Technical Offer / Compliance
10	Conveyer Belt	2	Make/Model: Conveyor; model not specified Capacity: Not specified Material: Jindal SS304 construction; PP food-grade modular belt with 70 mm cleats Motor/Power: 1 HP Roto-Motive gear motor; VFD; Control Technique UK VFD Dimensions: 400 mm width × 2000 mm length; length adjustable according to height layout and fruit output Utilities: Electrical power for 1 HP motor; VFD speed adjustment Accessories: PP food-grade modular belt with 70 mm cleats; gear drive; VFD system; inspection/transfer function Standards: Food Grade PP belt and SS304 construction (formal standard not specified)
11	Automatic Collar Type Packing Machine	1	Make/Model: VP-450 Capacity: Not specified Material: Heavy-duty mild-steel frame; stainless steel top/front cover; SS304 & SS316 contact parts Motor/Power: 3 kW, 3 Phase; Crompton Greaves motor; Delta/Fuji/Mitsubishi automation components; OMRON PID; Unison SSR; Janatics pneumatic components Dimensions: 1.5 m (W) × 1.5 m (L) × 2.5 m (H); approx. 1000 kg Utilities: Air: 1000 LPM @ 6 kg/cm² (air compressor required separately); single-reel laminate; max reel width 450 mm; core ID 76 mm Accessories: Photocell registration with optical scanning head sensor/amplifier; integrated turn bar assembly; pneumatic batch cutter; optional outfeed conveyor; optional batch printer (not included in standard scope) Standards: SS304/SS316 food-contact construction; formal standard not specified
12	Stainless Steel Container/Barrel	10	50 kg capacity, Food Grade SS 304

ANNEXURE – III: BIDDER INFORMATION & ELIGIBILITY FORM

Particular	Bidder's Details
Name of Firm/Company	
Registered Address	
Factory/Office Address	
Contact Person	
Telephone/Mobile	
Email	
PAN	
GSTIN	
Constitution/Registration No.	
Manufacturer / Authorized Dealer / Supplier	
Manufacturer(s) represented	
Service support location	
Years in business	
Tender Fee details / exemption	
EMD details / exemption	

I/We certify that the information furnished above is true and correct and that the documents enclosed are genuine.

Signature of Authorized Signatory: _____ Name: _____

Date: _____ Seal: _____

ANNEXURE – IV: DECLARATION BY BIDDER

I/We hereby declare that I/we have read and examined the complete tender document and understand and accept all its terms and conditions. I/We certify that the information and documents submitted with the bid are true and correct. I/We undertake to supply, install, test and commission the offered machinery in accordance with the accepted technical offer and contract. I/We further certify that neither I/we nor any person acting on our behalf has engaged in corrupt, fraudulent, collusive, coercive or restrictive practices in connection with this tender.

Signature: _____

Name: _____

Designation: _____

Firm: _____

Date: _____

Seal: _____

ANNEXURE – V: TECHNICAL DEVIATION STATEMENT

Sl.	Tender Requirement / Reference	Bidder's Deviation	Reason / Remarks
1			
2			
3			
4			
5			

ANNEXURE – VI: CHECKLIST FOR SUBMISSION

- ☐ Signed and stamped tender document
- ☐ PAN
- ☐ GST Registration Certificate
- ☐ Firm/company registration document
- ☐ Manufacturer authorization, where applicable
- ☐ Tender Fee proof or valid exemption
- ☐ EMD proof or valid exemption
- ☐ Technical datasheets and compliance statement
- ☐ Quality Assurance Plan (QAP)
- ☐ Price Schedule
- ☐ Warranty and after-sales service details
- ☐ Spare-parts availability statement
- ☐ Bidder declaration
- ☐ Technical deviation statement, if any

Pinky Sahu
Koraput Halad-Adda Women Farmer
Producer Company Limited

FOR KORAPUT HALAD-AADA WOMEN FARMER PRODUCER COMPANY LTD.

Chairman

KHAWFPCL, Koraput, Odisha